

PRODUCT INFORMATION



270 North Road, Yate South Gloucestershire BS37 7LQ www.action-products.co.uk

DESIGNED TO BE KIND

Tel: 01454-228702 Fax: 01454-228703 sales@action-products.co.uk

Household - DIY - Professional Chemical Products

SAFER* PAINT & VARNISH REMOVER USE WITH MASONRY WASH

NON-METHYLENE CHLORIDE NON-CAUSTIC

EP Patent No. 0925335 US Patent 6632782

Masonry Paint Removing

Directions:

- 1. Apply **Safer* Paint & Varnish Remover** generously, with a paint brush. Use the brush to lay the product on, do not brush out.
- 2. Allow 30 minutes dwell time. This is ample time to remove most water based paints. Test scrape a small area. If not fully softened, leave for extra time, test scraping at 10 minute intervals. Always leave our products to soak fully into and soften the coating to be removed. This means that a minimal amount of mechanical scraping is required, meaning that the underlying surface will not be damaged
- 3. Scrape away the softened paint. Our **Safer* Paint & Varnish Remover** does not contain toxic or harmful ingredients, but if the paint contained lead, then the waste will have to be disposed of accordingly.
- 4. Use **Masonry Wash** as supplied. Do not dilute. Scrub firmly enough to generate a foam which will cause deep cleaning of the surface. Ensure that bristles are not so stiff as to cause surface damage.
- 5. When surface cleaning has been achieved, rinse thoroughly with clean cold water. Ensure that no traces of chemicals remain. Allow to dry.















PRODUCT INFORMATION



Made in the United Kingdom

Safer* Paint & Varnish Remover and the Masonry Wash are quite Safer* and may, by themselves, be disposed of via public drainage systems, but the advisability of this depends upon the type and nature of paint surfaces which have been removed

If paint removed contained lead, then the waste material will contain lead. Dispose in accordance with waste regulations

CAUTION: Wear butyl rubber gloves to remove softened paint. Wear goggles. Maintain good ventilation. Prolonged contact with Safer* Paint & Varnish Remover will soften polystyrene & Perspex.

The word Safe has been changed to Safer*. All products are SAFER* than products based on highly flammable methylal or toxic methanol. This change is to comply with European Advertising regulation requirements. Our products remain the same fast acting, non-toxic, low odour products which have been enjoyed by our customers since 1998. Thank you for your continued custom and support. Best wishes, Action Products Ltd. Aug. 2012