



270 North Road, Yate
 South Gloucestershire BS37 7LQ
www.action-products.co.uk

PRODUCT INFORMATION



Tel: 01454-228702
 Fax: 01454-228703
sales@action-products.co.uk

DESIGNED TO BE KIND

Professional Chemical Products
 EU Patent 0988348 US Patent 6635608

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION

Product Name Professional Grade Tex Remover
 Supplier Action Products Limited, 270, North Road,
 Yate, South Glos. BS37 7LQ
 Telephone No: 01454 228702 Fax No 01454 228703

2. COMPOSITION

This product is comprised of water based gels containing blends of neutral non-toxic, biodegradable surfactants with of the order of 15% ethanol (CAS 67-17-5).

3. HAZARDS

Nature of hazard Flammable.
 Hazard symbol None.
 Risk phrases R10. Flammable.
 Safety phrases S2. Keep out of reach of children.
 S7. Keep container tightly closed.
 S16. Keep away from sources of ignition - No smoking.

4. FIRST AID

Eye contact Irrigate eye with clean water.
 Obtain medical attention if soreness or redness persists.
 Skin contact Wash off with soap and water.
 Inhalation No inhalation hazard under normal conditions of use.
 In the event of inhalation, remove patient to fresh air and seek medical advice.
 Ingestion Low toxicity by ingestion.
 May be harmful if ingested in quantity.



Made in the United Kingdom



BFiY Winner 2002



PRODUCT INFORMATION



5. FIRE-FIGHTING MEASURES

Extinguishing media	Water, Carbon dioxide, AFF Foam, Dry Powder
Unsuitable extinguishing media	None known
Unusual fire and explosion hazards	None known
Protective Equipment	Breathing apparatus and protective clothing advised for significant fires.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Avoid eye contact. Avoid prolonged or repeated skin contact Advised to use safety glasses (or goggles) and gloves when clearing spills.
Precautions to protect the environment	Do not allow large quantities to enter drains.
Clean up procedures	CAUTION. Spillages will be slippery. Absorb with inert absorbent material and dispose of in accordance with waste regulations. Wash site of spillage with plenty of water.

7. HANDLING AND STORAGE

Handling	Avoid eye contact. Avoid repeated or prolonged skin contact. Advised to use safety glasses (or goggles) and gloves when using this product especially when working overhead. Keep away from sources of ignition - No smoking.
Storage	Protect from frost. Store out of direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

UK Occupational Exposure Standards	Ethanol: 1,000 ppm (1920mg/m ³), 8hr TWA
Personal protection	Wear eye protection when working on overhead surfaces. Wear butyl rubber gloves to remove softened coating.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance at 20°C	Clear, purple gel
Odour	Faint
Density at 20°C	0.94 to 0.96
pH	7
Boiling point	Approx 100°C
Flash point	32°C
Autoflammability	Not known
Solubility in water	Soluble
Freezing point	Approx 0°C



PRODUCT INFORMATION



10. STABILITY AND REACTIVITY

Conditions to avoid	Freezing. Sources of ignition.
Materials to avoid	Will dissolve polystyrene and Perspex after prolonged contact.
Hazardous decomposition products	None known
Stability	Stable

11. TOXICOLOGICAL INFORMATION

Skin toxicity	No significant effects. Prolonged contact may cause defatting.
Eye toxicity	Slight irritant
Ingestion toxicity	No significant effects
Inhalation toxicity	No significant effects
Long term exposure effects	Unknown

12. ECOLOGICAL INFORMATION

Biodegradability	Expected to be biodegradable
Aquatic toxicity	Not known
COD	Not known

13. DISPOSAL CONSIDERATIONS

Method	Unless it is certain that the textured coating to be removed was manufactured after 1985, the waste should be treated as asbestos waste. Dispose in accordance with waste regulations.
--------	---

14. TRANSPORT INFORMATION

EEC Regulations	UN No: None
Road & Rail Transport (ADR/RID)	Class: None, Item: None

15. REGULATORY INFORMATION

Labelling:

Hazard symbol	None
	R10. Flammable.
	S2. Keep out of reach of children.
	S7. Keep container tightly closed.
	S16. Keep away from sources of ignition - No smoking.

16. OTHER INFORMATION

Whilst Action Products Limited has taken every care to ensure accuracy of the data contained in this document; no guarantee or liability will be assumed. It is recommended that customers satisfy themselves of the suitability of all product purchased for their own use.

17th February 2007